

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY-Continued.

Morbidity and mortality table, cities of the United States, for week ended December 24, 1910—Continued

Cities States states states sensus, 1910 States causes 3 5 5 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Cases	Deaths
25,000 inhabitants— Continued.		
Combridge Obje		
Cambridge, Ohio. 11,327 2 2 Camden, S. C.		-
Carbondale, Pa. 17,040 4		
Clinton, Mass		:::::
Coffeyville, Kans. 12,687 5 1 1	. 1	
Columbus, Ind. 3		
Covington Ohio		
Cumberland, Md. 21,839 Dunkirk, N. Y. 4 2 1 3 10 2	. 4	3
Elvria, Ohio		
Galesburg, Ill. 8		
Gloucester, Mass		
Harrison, N. J. 14, 498 4		
Kearny, N. J	·	
La Fayette, Ind. 20, 081 7 1 1		
Lebanon, Pa		
Manistee Mich 12.381		
Marinette, Wis. 2		
Marlboro, Mass 14,579 Massillon, Ohio 1		
Medford Mass 23.150 6 3 5 1 1 1 1		
Moline, 111		
Montelair, N. J. 21,550 4 1	. 1	
Nanticoke, Pa. 18, 877 2		
North Adams, Mass 22,019 9		
Northampton, Mass. 19, 431 9		
Ottumwa, Iowa 22,012 13 1 1 1 1 1 Paludeah, Ky 22,760 5 5 5 5 3 2 7 6 7		
	1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		
Rock Island, Ill. 8 3		
Saratoga Springs, N. Y		
South Bethlehem, Pa. 19,973 12 1 1 1 Steelton, Pa. 14,246 7 3 1 2 Wilkinsburg, Pa. 18,924 6 1 2		
Wilkinsburg, Pa. 18/924 6 1 2 Woburn, Mass. 15/308 1 2 1 1	.	
Zanesville, Ohio		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

FLORIDA.—Week ended December 24, 1910. Reports from the State board of health show typhoid fever present in 2 localities (Tampa and Pensacola) with 2 cases, smallpox in 6 counties (Alachua, Gadsden, Leon, Madison, Osceola, Polk) with 39 cases, diphtheria in 5 localities with 6 cases, malaria in 4 localities (Tampa, Ybor City,

Jacksonville, Gainesville) with 23 cases, tuberculosis in 3 localities with 3 cases.

Pensacola.—Month of November, 1910. Population 23,000. Total number of deaths from all causes 46, including tuberculosis 4.

Massachusetts.—Week ended November 5, 1910. Population of reporting towns 2,594,239. Total number of deaths from all causes 686, including typhoid fever 16, measles 1, scarlet fever 3, diphtheria 14, tuberculosis 68.

Week ended November 12, 1910. Total number of deaths from all causes 750, including typhoid fever 9, measles 1, scarlet fever 3, diphtheria 16, tuberculosis 87.

Week ended November 19, 1910. Population of reporting towns 2,578,518. Total number of deaths from all causes 696, including typhoid fever 8, scarlet fever 2, diphtheria 4, tuberculosis 54.

Week ended November 26, 1910. Population of reporting towns 2,581,344. Total number of deaths from all causes 716, including typhoid fever 12, scarlet fever 1, measles 1, diphtheria 8, tuberculosis 63.

Morbidity.—During the month of November, 1910, cases of communicable diseases were reported as follows: Typhoid fever 300, measles 354, scarlet fever 451, diphtheria 613, tuberculosis 442.

New Jersey.—Month of December, 1910. Population 1,183,699. Total number of deaths from all causes 2,977, including typhoid fever 38, measles 11, scarlet fever 8, diphtheria 81, tuberculosis 333.

Pennsylvania.—Reports from the State department of health show as follows:

Mortality.—Month of September, 1910. The total number of deaths reported was 9,453, including typhoid fever 272, scarlet fever 55, diphtheria 156, measles 41, whooping cough 126, influenza 18, malarial fever 13, tuberculosis of the lungs 616, tuberculosis of other organs 122, cancer 412, diabetes 43, meningitis 49, infantile paralysis 64, pneumonia 437, diarrhea and enteritis under 2 years 1,499, diarrhea and enteritis over 2 years 237, Bright's disease 415, early infancy 776, suicide 79, accidents in mines and quarries 94, railway injuries 131, other forms of violence 468, all other diseases 3,330.

Morbidity.—Month of October, 1910. Cases of communicable diseases were reported as follows: Anterior poliomyelitis 197, anthrax 1, cerebrospinal meningitis 5, chicken pox 311, diphtheria 1,666, epidemic dysentery 2, erysipelas 71, German measles 7, hydrophobia 1, malarial fever 16, measles 793, mumps 103, pneumonia 338, puerperal fever 4, scarlet fever 724, tetanus 12, trachoma 12, tuberculosis 1,259, typhoid fever 2,310, whooping cough 754. Total, 8,586.

UTAH.—Month of November, 1910. Population, 346,873. Total number of deaths from all causes 337, including typhoid fever 16,

scarlet fever 4, diphtheria 11, tuberculosis 8. Cases reported: Typhoid fever 155, smallpox 91, measles 30, scarlet fever 293, diphtheria 116, tuberculosis 5.

VIRGINIA—Petersburg.—Month of December, 1910. Total number of deaths from all causes 50, including tuberculosis 10. Cases reported: Typhoid fever 1, diphtheria 9, tuberculosis 4.

BERIBERI ON STEAMSHIP

Washington—Seattle.—Dr. Elmer H. Heg, commissioner of health, reports December 30, 1910, the occurrence of 8 cases of beriberi on the steamship Beachy among Hindu and Lascar firemen shipped at Singapore in January, 1910. Two of the cases ended fatally. The diet of the patients had consisted largely of polished rice.